

Instructions for completing this form

- OHQ000003 requires that this form be used when submitting annual reports. You may request approval to use your own reporting format.
- Annual Reports are due annually on or before April 1st.
- Complete the form and sign and date the certification statement below
- If more space is needed than is provided, identify within the provided space that Attachment A, B, C, etc. has been attached.
- If an item of the form is not applicable for your program (such as street sweeping), fill in N/A in the space provided.
- Do not include attachments such as brochures, newspaper clips, sign-in sheets, etc. related to your program with this form. You only need to summarize these within this report. These records must be filed and will be needed during program audits.
- When complete, submit this Annual Report form to the following address:

Ohio Environmental Protection Agency
Division of Surface Water
Storm Water Program-Small MS4
P.O. Box 1049
Columbus, Ohio 43216-1049

General Information

Small MS4 Annual Report for Year: 2021	Ohio EPA Facility Permit Number: 1GQ00066*BG
---	---

Name of MS4: City of Sidney

Mailing Address: 201 W. Poplar St.

City: Sidney	State: OH	Zip Code: 45365
---------------------	------------------	------------------------

Country: USA	County: SHELBY
---------------------	-----------------------

Primary Contact: Barry Zerkle	Title: Wastewater Treatment Plant Superintendent
--------------------------------------	---

Email Address: bzerkle@sidneyoh.com	Phone: (937) 498-8721	Fax:
--	------------------------------	-------------

Include or attach a Table of Organization. Indicate who (name and contact information) is responsible for overall management and implementation of your program, and if different, each minimum control measure of your program. Identify how development and implementation across multiple positions, agencies and departments occur. Also, identify any Memorandum of Understandings (MOUs) or other such agreements that exist.

Upload File Name for Table of Organization: 2022_Table of Organization (A).xlsx

Attachment B
Contact Information

Barry Zerkle
WWTP Superintendent
City of Sidney
(937) 498-8721
bzerkle@sidneyoh.com

WWTP Asst. Superintendent (Unfilled position)
City of Sidney

Gregg Mitchell
IPP Coordinator/Stormwater Technician
City of Sidney
(937) 498-8724
gmitchell@sidneyoh.com

Randy Magoto
Engineering Manager
City of Sidney
(937) 498-8717
rmagoto@sidneyoh.com

Stephen Rhodes
Underground Utilities Superintendent
City of Sidney
(937) 498-8157
srhodes@sidneyoh.com

Brian Green
Street Superintendent
City of Sidney
(937) 498-8159
bgreen@sidneyoh.com

Duane Gaier
Parks Superintendent
City of Sidney
(937) 498-8105
dgaier@sidneyoh.com

Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including possibility of fine and imprisonment for knowing violations.

Applicant Name (printed or typed):	Title:
---	---------------

Signature:

Date:

PUBLIC EDUCATION AND OUTREACH

Estimate Your Permit Area of Total Population: 22000

BMP (mechanism)	Responsible Party	Measurable Goal	Theme or Message	Target Audience	% Target Audience	Effective
Watershed Education	City of Sidney WWTP	Present the public with educational literature about stormwater.	Watersheds and non-point source pollution prevention	All Sidney citizens	30	Yes

Summary of Results: Placed informational brochures in City Manager's weekly newsletters

Comments: City manager's newsletter is available in print and electronic format to all citizens.

Create an informed and knowledgeable community	City of Sidney WWTP Superintendent	Place informative articles on the City of Sidney's website	Stormwater Pollution Solution	The general public	5	Yes
--	------------------------------------	--	-------------------------------	--------------------	---	-----

Summary of Results: We placed a document on the City's website that educates the public on the basics of stormwater pollution, and how they can participate in pollution prevention

Comments:

Maintain a display at the Shelby County Fair	City of Sidney WWTP Superintendent	Distribute and display educational materials on stormwater pollution prevention to the community along with water conservation technologies	How Water Works	A broad audience including the general public, developers, commercial, and industrial entities	20	Yes
--	------------------------------------	---	-----------------	--	----	-----

Summary of Results: The City of Sidney placed a display consisting of posters, literature handouts, and photos which described the water, wastewater, and stormwater systems in the city. Included were pollution prevention, where stormwater goes, and child friendly activity sheets featuring stormwater.

Comments: Almost 40,000 people attended the 2021 Shelby County Fair.

PUBLIC EDUCATION & OUTREACH

Summarize activities you plan to undertake during the next reporting cycle.

BMP (mechanism)	Responsible Party	Measurable Goal	Theme or Message	Target Audience	% Target Audience	Proposed Schedule
Distribute information and publications at community events	City of Sidney WWTP Superintendent	Provide the public with educational material on how their daily activities can impact stormwater quality	TBD	A broad audience including the general public, developers, commercial, and industrial entities	5	Create a storm water display in the environmental education building at the Shelby County Fair.

Summary of Planned Activities: Display and disseminate educational material to protect our stormwater and the Great Miami River

Comments:

Create an informed and knowledgeable community	City of Sidney WWTP Superintendent	Place informative articles on the City of Sidney's website	TBD	The general public	20	Place a pollution prevention article on the City website for a minimum of two-months
--	------------------------------------	--	-----	--------------------	----	--

Summary of Planned Activities: Place an article on the City's website informing residents of activities they can perform to reduce the amount of pollutants entering our storm sewer system

Comments: No comments

PUBLIC INVOLVEMENT AND PARTICIPATION

BMP (mechanism)	Responsible Party	Measurable Goal	Theme or Message	Target Audience	Estimate Of People Participated	Effective
Clean Sweep of the Great Miami River	City of Sidney WWTP Superintendent	Coordinate a volunteer effort to reduce the pollution of our local river and promote a clean and natural resource	Get Wet, Get Dirty, Get Going!	The general public	80	Yes

Summary of Results: Clean sweep removed about a ton of material and 30 tires from the Sidney section of the Great Miami River

Comments:

PUBLIC INVOLVEMENT AND PARTICIPATION

Summarize activities you plan to undertake during the next reporting cycle.

BMP (mechanism)	Responsible Party	Measurable Goal	Theme or Message	Target Audience	Estimate of People to Participate	Proposed Schedule
Clean Sweep of the Great Miami River	City of Sidney WWTP Superintendent	Coordinate a volunteer effort to reduce the pollution of our local river and promote a clean and natural resource	Get Wet, Get Dirty, Get Going!	The general public along with volunteers from several of the City's industries	70	Coordinate a river clean-up in July to clean 12 miles of the Great Miami River

Summary of Planned Activities: Encourage public involvement and participation in keeping our waterways clean by having volunteers remove trash and tires from the Great Miami River

Comments: This event will be promoted in newspapers, on television, websites, and the radio

ILICIT DISCHARGE DETECTION AND ELIMINATION (IDDE)

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Cite Local Code(s) Being Used (If available, web link for code(s))	Effective
Ordinance or Other Regulatory Mechanism	City of Sidney WWTP Superintendent	Ensure appropriate enforcement procedures and actions	Yes	City Codified Ordinance Chapters 913 and 919, www.sidneyoh.com	Yes

Summary of Results or Activities: All ordinances are being followed.

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Summary of Activities or Updates	Effective
Storm Sewer System Map	City of Sidney WWTP Superintendent	Field verify all known outfalls and map any new outfalls using GPS and Arc GIS technology. Create a digital map of the City's storm sewer system as resources and time allows.	Yes	All of the known storm sewer outfalls have been digitally mapped. Approximately 30% of the storm water manholes and catch basins have been mapped using GPS and Arc GIS technology.	Yes

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Summary of Activities or Updates	Effective
HSTS Mapping and List	City of Sidney WWTP Superintendent	Evaluate the status of all the home sewage treatment systems located in our MS4	Yes	There were no home sewage treatment systems that were connected to the City's sewer system this permit year.	Yes

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Summary of Activities or Updates	Effective
IDDE Plan	City of Sidney WWTP Superintendent	Locate and eliminate illicit discharges within the MS4	Yes	We created a list of home sewage treatment systems that have the possibility to discharge into our MS4. We have also developed a map showing the location of all known home sewage treatment systems located within the City limits.	Yes

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Total # of Outfalls	# of Outfalls Screened	# of Dry-Weather Flows Identified	# of Identified Illicit Discharges	# of Eliminated Illicit Discharges	Effective
Dry-Weather Screening of Outfalls	City of Sidney WWTP Superintendent	Dry-weather screen all known outfalls within the permit cycle	Yes	71	30	0	0	0	Yes

Comments: There were no illicit connections to eliminate

Upload File Name for the Illicit Discharges: schedules for elimination of illicit connections that have been identified.docx

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Summary of Planned Activities	Comments	Effective
No records found						
ILLICIT DISCHARGE DETECTION & ELIMINATION (IDDE)						
<i>Summarize activities you plan to undertake for the next reporting cycle.</i>						
BMP (mechanism)	Responsible Party	Measurable Goal		Summary of Planned Activities	Comments	Proposed Schedule
Ordinance or other regulatory mechanism	City of Sidney WWTP Superintendent	Review and enforce local regulations prohibiting non-stormwater discharges into the MS4		Enforce existing regulatory mechanisms and develop new ones as necessary to prohibit illicit discharges into the MS4		Review the City's stormwater ordinances and implement appropriate enforcement procedures and actions
Comments:						
HSTS Mapping and List	City of Sidney WWTP Superintendent	Assess the status of 100% of the home sewage treatment systems located in the MS4. Update the home sewage treatment system map and connection list as necessary.		Work with the local Health Department and wastewater authority to review the status of the home sewage treatment systems located within the City		Work with the County Health Department and City officials to require eligible addresses to comply with Connection Orders
Comments:						
Storm Sewer System Map	City of Sidney WWTP Superintendent	Update the stormwater outfall map annually and continue to develop a digital map of the City's storm sewer system as resources allow		Field verify and map all new or previously unknown outfalls using GPS and Arc GIS technology		All new or previously unknown outfalls will be dry-weather screened per Standard Operating Procedures and added to the existing outfall map
Comments:						

IDDE Plan	City of Sidney WWTP Superintendent	Locate and eliminate illicit discharges from the MS4	Investigate, address, and document illegal discharges to the MS4 including illegal dumping and spills in a timely manner	Respond to all complaints received within 24-hours to minimize adverse water quality impacts or repeated dumping
-----------	------------------------------------	--	--	--

Comments:

Dry-Weather Screening of Outfalls	City of Sidney WWTP Superintendent	Dry-weather screen any newly installed or previously unknown outfalls and 20% of the existing outfalls	Continue to identify and screen outfalls per Standard Operating Procedures that we have developed	Dry-weather screen all new and previously unknown outfalls along with existing outfalls
-----------------------------------	------------------------------------	--	---	---

Comments:

CONSTRUCTION SITE RUNOFF CONTROL

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Cite Local Code(s) Being Used (If available, web link for code(s))	Effective
Ordinance or Other Regulatory Mechanism	Engineering Manager	Review and modify ordinances to meet permit requirements and control water quality	Yes	City Codified Ordinance Chapter 919 - www.sidneyoh.com	Yes

Summary of Results or Activities: The City's stormwater ordinances were reviewed

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Standards Being Used	Effective
Sediment and Erosion Control Requirements	Engineering Manager	Ensure that 100% of the applicable sites are meeting the requirements	Yes	City of Sidney Construction Standards and Drawings Section 600	Yes

Summary of Results or Activities: Applicable construction sites are required to install and maintain erosion and sedimentation BMP's

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Number of Complaints Received	Number of Complaints Followed Up On	Effective
Complaint Process	WWTP Superintendent	Ensure that all concerns are addressed and documented in a timely manner	Yes	0	0	Yes

Summary of Results or Activities: No construction related complaints were received during this permit year

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	# of Sites Requiring Plans	# of Plans Reviewed	Effective
Site Plan Review Procedures	Engineering Manager	Review all applicable site plans prior to construction	Yes	27	27	Yes

Summary of Results or Activities: All site plans have been reviewed prior to approval per City Codified Ordinance Chapter 919.19

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	# of Applicable Sites	# of Sites Inspected	Average Frequency	Effective
Site Inspection Procedures	Engineering Manager	Inspect all applicable sites every month at a minimum	Yes	10	115	2	Yes

Summary of Results or Activities: Sites were inspected to ensure that controls are installed and maintained per requirements

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	# of Violation Letters	# of Enforcement Actions	Effective
Enforcement Procedures	Engineering Manager	Enforce the use and maintenance of construction site erosion and sediment control BMP's	Yes	0	0	Yes

Summary of Results or Activities: City Codified Ordinances are used to enforce sanctions such as stop work orders, fines, and bonding requirements

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Measurements	Effective
-----------------	-------------------	-----------------	-----------	--------------	-----------

No records found

CONSTRUCTION SITE RUNOFF CONTROL

Summarize activities you plan to undertake during the next reporting cycle.

BMP (mechanism)	Responsible Party	Measurable Goal	Summary of Planned Activities	Proposed Schedule
Sediment and Erosion Control Requirements	Engineering Manager	Ensure that 100% of the applicable construction sites are meeting or exceeding the requirements	Enforce regulation requiring erosion and sedimentation controls on applicable sites	All construction sites equal to or greater than one acre will be required to implement and maintain appropriate erosion and sedimentation BMP's

Comments:

Site Inspection Procedures	Engineering Manager	Inspect all applicable construction sites for compliance at a minimum of once per month and more frequently as needed	Inspection prioritization will be based on various conditions, schedules, and developer history	Inspect construction sites to ensure controls meet or exceed requirements and are not causing adverse impacts to water quality
----------------------------	---------------------	---	---	--

Comments:

Enforcement Procedures	Engineering Manager	Utilize existing rules, regulations, codes, and enforce any additional regulations that are necessary and reasonable	Enforce City of Sidney Codified Ordinances, Construction Standards, Drawings, and Design Criteria	Use City Codified Ordinances to enforce regulatory mechanisms via sanctions such as stop work orders, fines, and permit denial
------------------------	---------------------	--	---	--

Comments:

Complaint Process	WWTP Superintendent	Ensure that all concerns are addressed and documented in a timely manner	Address and document all complaints received by the public related to construction site sediment and erosion control	All complaints received in the next reporting cycle will be addressed in a timely manner and documented
-------------------	---------------------	--	--	---

Comments:

Site Plan Review Procedures	Engineering Manager	Review 100% of applicable site plans prior to construction	Continue our site plan review procedures that will incorporate consideration of potential water quality impacts	Site plans received in the next reporting cycle will be checked for compliance with local requirements and approved by the Engineering Manager
-----------------------------	---------------------	--	---	--

Comments:

Ordinance or Other Regulatory Mechanism	Engineering Manager	Review, enforce, and modify as needed City ordinances to control water quality from sites that disturb equal to or greater than one acre	Use regulatory mechanisms for enforcement of control measures to the maximum extent practicable	Continue to enforce City ordinances to ensure that sediment and erosion controls meet or exceed requirements during the next permit year
---	---------------------	--	---	--

Comments:

POST-CONSTRUCTION STORM WATER MANAGEMENT IN NEW DEVELOPMENT AND REDEVELOPMENT

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Cite Local Code(s) Being Used (If available, web link for code(s))	Effective
Ordinance or Other Regulatory Mechanism	Engineering Manager	Review and modify ordinances as needed to better control water quality	Yes	City of Sidney Codified Ordinance 919 - www.sidneyoh.com	Yes

Summary of Results or Activities: The City's stormwater ordinances were reviewed

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Structural and/or Non-Structural Standards Being Used	Effective
Post-Construction Requirements	Engineering Manager	Ensure that 100% of applicable construction sites are meeting or exceeding requirements	Yes	City of Sidney Construction Standards and Drawings Section 600	Yes

Summary of Results or Activities: Continue to enforce the standards contained within the manual

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	# of Applicable Sites Requiring Plans	# of Plans Reviewed	Effective
Site Plan Review Procedures	Engineering Manager	Review all applicable site plans prior to construction	Yes	28	28	Yes

Summary of Results or Activities: Site plan review and approval procedures are outlined in City Codified Ordinance Chapter 919.19

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	# of Applicable Sites	# of Inspections Performed	Average Frequency	Effective
Site Inspection Procedures	Engineering Manager	Inspect 100% of applicable construction sites for compliance	Yes	10	114	2	Yes

Summary of Results or Activities: Inspect sites to ensure that the controls are installed and maintained per requirements

Comments:

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	# of Violation Letters	# of Enforcement Actions	Effective
-----------------	-------------------	-----------------	-----------	------------------------	--------------------------	-----------

Enforcement Procedures	Engineering Manager	Enforce the use and maintenance of construction site erosion and sediment control BMP's	Yes	0	0	Yes
Summary of Results or Activities: City Codified Ordinances are used to enforce sanctions such as stop work orders, fines, and bonding requirements						
Comments:						
BMP (mechanism)	Responsible Party	Measurable Goal	Completed	# of Sites Requiring Plans/Agreements	# of Plans Developed/Agreements in Place	Effective
Long-Term O&M Plans/Agreements	Engineering Manager	Ensure long-term operation and maintenance of BMP's	Yes	0	0	Yes
Summary of Results or Activities: Responsibility for operation and maintenance of stormwater facilities are outlined in City ordinance Chapter 919						
Comments:						
BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Measurement 1	Measurement 2	Effective
No records found						
POST-CONSTRUCTION STORM WATER MANAGEMENT IN NEW DEVELOPMENT AND REDEVELOPMENT						
Summarize activities you plan to undertake for the next reporting cycle.						
BMP (mechanism)	Responsible Party	Measurable Goal	Summary of Planned Activities			Proposed Schedule
Long-Term O&M Plans/Agreements	Engineering Manager	Ensure long-term operation and maintenance of Best Management Practices	Operate and maintain stormwater facilities as described in City Codified Ordinance Chapter 919			Monitor the design, operation, and construction of stormwater facilities during the next permit year
Comments:						
Post-Construction Requirements	Engineering Manager	Ensure that 100% of applicable construction sites are meeting or exceeding the requirements	Enforce regulation requiring erosion and sedimentation controls on applicable sites			All construction sites equal to or greater than one acre will be required to implement appropriate erosion and sedimentation BMP's
Comments:						

Ordinance or Other Regulatory Mechanism	Engineering Manager	Review, enforce, and modify as needed City ordinances to better control water quality from sites that disturb equal to or greater than one acre	Use regulatory mechanisms for site inspection and enforcement of control measures to the maximum extent practicable	Continue to enforce City ordinances to ensure that sediment and erosion controls meet or exceed requirements during the next permit year
---	---------------------	---	---	--

Comments:

Site Inspection Procedures	Engineering Manager	Inspect all applicable construction sites for compliance and prioritize each site based on potential water quality impacts	Inspection prioritization will be based on various conditions, schedules, and developer history	Inspect construction sites to ensure controls meet or exceed requirements and are not causing adverse impacts to water quality
----------------------------	---------------------	--	---	--

Comments:

Site Plan Review Procedures	Engineering Manager	Review 100% of applicable site plans prior to construction	Site plans received in the next reporting cycle will be checked for compliance with local requirements and approved by the Engineering Manager	Review applicable site plans with the consideration of potential water quality impacts
-----------------------------	---------------------	--	--	--

Comments:

Enforcement Procedures	Engineering Manager	Enforce existing rules, regulations, and codes. Develop any new regulations that are necessary and reasonable.	Enforce City of Sidney Codified Ordinances, Construction Standards, Drawings, and Design Criteria	Use City ordinances to enforce regulatory mechanisms via sanctions such as stop work orders, fines, and permit denial
------------------------	---------------------	--	---	---

Comments:

POLLUTION PREVENTION/GOOD HOUSEKEEPING FOR MUNICIPAL OPERATIONS

BMP (mechanism)	Responsible Party	Measurable Goal	Completed	Topic(s)	Targeted Audience	# of Employees Attended	Effective
-----------------	-------------------	-----------------	-----------	----------	-------------------	-------------------------	-----------

Employee Training Program	City of Sidney WWTP Superintendent	Train all applicable staff annually	Yes	Municipal Stormwater Pollution Prevention	City Fleet Maintenance, Parks, Underground Utility, and Street Departments	39	Yes
---------------------------	------------------------------------	-------------------------------------	-----	---	--	----	-----

Summary of Activity: Training is tailored to specifically address local issues

Comments:

BMP (mechanism)	List of Municipal Facilities Subject to Program			O&M Procedures Developed?	# of Inspections Performed	Frequency of Inspections									
Municipal Facilities	City of Sidney WWTP - (Conditional No Exposure) City of Sidney Service Center - (SWPPP developed and implemented)			Yes	2	Annually									
BMP (mechanism)	Summarize Maintenance Activities and Schedules			Summarize Activities Performed											
MS4 Maintenance	Clean and repair detention basins, storm sewer, sewer traps, clean, repair, and replace catch basins			Cleaned 46 detention basins. Cleaned 2,952 catch basins, repaired 40, and replaced 66 catch basins. Cleaned 2,595 and repaired 200 linear feet of storm sewer. 265 linear feet of storm sewer installed. Televised 2,231 linear feet of storm sewer. Cleaned 35 storm sewer traps. 4,828 storm sewer locates (OUPS).											
BMP (mechanism)	Procedures Developed?	Document Amounts of Wastes Properly Disposed													
Disposal of Wastes	Yes	The City collected and properly disposed of 4 tons of floatables and other pollutants from cleaning the sewer system.													
BMP (mechanism)	Covered?	Tons Used	Summarize Measures Taken to Minimize Usage												
Road Salt	Yes	1409 Tons	Salt spreaders are calibrated and the City used 1,100 gallons of salt brine as an alternative to road salt during the permit year												
BMP (mechanism)	Procedures Developed?	Gallons Used	Summarize Measures Taken to Minimize Usage												
Pesticide & Herbicide Usage	Yes	21 Gallons	City staff are licensed or trained applicators to ensure proper application rates are applied during the appropriate weather conditions and documented												
BMP (mechanism)	Procedures Developed?	Pounds Used	Summarize Measures Taken to Minimize Usage												
Fertilizer Usage	Yes	0 Pounds	City staff are licensed or trained applicators and ensure proper application rates are applied during the appropriate weather conditions and documented												
BMP (mechanism)	Procedures Developed?	Document Amount of Material Collected and Properly Disposed													
Street Sweeping	Yes	The City collected and properly disposed of 268 tons of street sweeping during this permit year													
BMP (mechanism)	Summarize Any New or Existing Flood Management Projects that were Assessed for Impacts on Water Quality														
Flood Management Projects	There were no flood management projects that were assessed for impacts on water quality during this permit year														
BMP (mechanism)	Summary														
No records found															

POLLUTION PREVENTION/GOOD HOUSEKEEPING FOR MUNICIPAL OPERATIONS

Summarize activities you plan to undertake for the next reporting cycle.

BMP (mechanism)	Responsible Party	Measurable Goal	Summary of Planned Activities	Proposed Schedule
Fertilizer Usage	City of Sidney Parks Department Superintendent	Minimize usage and apply at the recommended application rates	Maintain staff that are licensed or trained applicators, minimize usage, and apply at the manufactures recommended application rates	Minimize usage, document application dates, and apply at the recommended application rates
Comments:				
MS4 Maintenance	City of Sidney Underground Utilities Superintendent	Reduce the amount of floatables and pollutants discharged to the MS4	Clean and maintain the storm sewer system	At a minimum clean detention basins quarterly and catch basins before, during, or shortly following a rain event
Comments:				
List of Facilities to the Program	City of Sidney WWTP Superintendent	Reduce the discharge of pollutants from municipal fleet and storage areas	Perform and document inspections at the City's Service Center and Wastewater Treatment Plant	Continue the implementation of the Service Center SWPPP and perform inspections in the next permit year
Comments:				
Flood Management Projects	Engineering Manager	Assess all new flood management projects for impacts on water quality	Assess projects for additional water quality protection devices or practices	Assess any new flood management projects for impacts on water quality in the next permit year
Comments:				
Road Salt	City of Sidney Streets Department Superintendent	Minimize the use of road salt to the maximum extent practicable and utilize alternative methods when possible	Calibrate salt spreaders to avoid excess application, and use salt brine as an alternative to road salt when feasible	Calibrate salt spreaders, use salt brine, and maintain cover over salt storage
Comments:				

Street Sweeping	City of Sidney Streets Department Superintendent	Reduce the amount of floatables and other pollutants discharged from the streets and roadways to the MS4	Routine street sweeping and ensure the proper disposal of the waste collected	Perform routine street sweeping and document the amount of waste removed and properly disposed of during the permit year
-----------------	--	--	---	--

Comments:

Disposal of Wastes	City of Sidney Streets and Underground Utilities Superintendents	Properly dispose of waste removed from the MS4 including accumulated sediment, floatables, and other debris	Dispose of debris collected from street sweeping and sewer cleaning in a landfill	Wastes collected from our MS4 will be properly disposed of in the next permit year
--------------------	--	---	---	--

Comments:

Pesticide and Herbicide Usage	City of Sidney Parks Department Superintendent	Minimize usage, apply only during appropriate weather conditions, and utilize spot spraying when feasible	Maintain staff that are licensed or trained applicators, minimize usage, and apply only during appropriate weather conditions	Minimize usage, document application dates, rates, and weather conditions
-------------------------------	--	---	---	---

Comments:

Employee Training Program	City of Sidney WWTP Superintendent or designee	Train all of applicable City staff annually on storm water pollution prevention	Train municipal employees to reduce stormwater pollution from municipal operations	Train employees on stormwater pollution prevention from municipal operations in the next permit year
---------------------------	--	---	--	--

Comments:

PROPOSED CHANGES TO YOUR SWMP (IF ANY)

Summarize any proposed changes to your SWMP, including changes to any BMPs or any identified measurable goals that apply to the program elements. If you fail to satisfy measurable goals for the reporting year, please explain why.

Added a table of contents.

In Public Ed section removed "Introduce adults to concept of watersheds". This subject is included in other points.

In Table 2 Public involvement removed "Stream quality monitoring" because we have no one available for this activity.

In Table 3 added employee training.

In table 6 consolidated and added 5 sections addressing road salt, pesticide/herbicide usage and storage, catch basin cleaning, street sweeping, and leaf pickup.

In section 6 added new salt storage photo. Removed language about roll off container and added language about City hauling material to landfill instead of contractors. Added new photo of pesticide/herbicide storage.

VARIANCES GRANTED (IF ANY)

Identify and summarize any variances granted under your storm water program.

No variances were granted during this permit year. Procedures for variances and appeals are outlined in City Codified Ordinance Chapters 919 and 1108.

ADDITIONAL INFORMATION

Please add any additional comments or attachments below.

Additional Information attachment(s): [Appendix E. Sections 913.05 to 913.19.pdf](#), [Appendix A. Map of City of Sidney.pdf](#), [Appendix J.2021_Table of Organization sans names.pdf](#), [Appendix B. Storm Drain Stencil.pdf](#), [Appendix C. GPS Coordinates for Outfalls.pdf](#), [Appendix I. City of Sidney Utilities Comprehensive Plan.pdf](#), [Appendix F. Flood Damage Protection.pdf](#), [2022_PDF_Service Center SWPPP.pdf](#), [Appendix H. Section 600 Storm Drainage.pdf](#), [Appendix G. Construction Standards_2020.pdf](#), [Appendix D. Chapter 919 Stormwater Management.pdf](#), [Sidney_SWMP_2022.pdf](#)